

**AGENDA ITEM**  
September 3, 2019

Subject: Vandalism Repair, Waterslides at Walton Aquatic Center

Department: Parks & Recreation

The Parks and Recreation Department's Walton Aquatic Center suffered vandalism damage to both of its waterslides on August 2<sup>nd</sup>. Vandals "striped" the interiors of both waterslides with spray paint, as well as the outside of one. To repair the damage, re-surfacing (gel-coat) of the flumes must be done after removal of the paint. These repairs need to be done professionally.

To that end, staff sent requests to complete the work, and the results were:

<b>Vendor</b>	<b>Total Bid</b>
Safe Slide Restoration, Fredricktown MD	\$17,600.00 (option A)
Splashtacular, Paola KS	No response to request
The Slide Experts, Leander TX	No response to request

Staff is requesting approval of the sole respondent's bid, and authorization to proceed immediately with the repairs.

# Safe Slide Restoration

"Restoring confidence in your slide."

Dale Cooper LLC DBA Safe Slide Restoration  
P.O. Box 186, Fredericktown, MO 63645  
855.639.7543  
[www.safeslides.com](http://www.safeslides.com)

August 14, 2019

**Walton Aquatic Center** / Attn: Mark Moberly  
City Address: 110 S. Ash St. Nevada, MO 64774  
Slide Address: 400 W. Atlantic St Nevada, MO  
417-448-7025 / [mmoberly@nevadamo.gov](mailto:mmoberly@nevadamo.gov)

Hello Mark,

The following is a proposal for the restoration of your slide. This proposal is based on the information that you sent us on August 9, 2019. Our company is certified in fiberglass composites by the American Composite Manufacturer's Association (ACMA). We have over **20-years** of experience working with fiberglass and gel coat.

## We Have The Industry's Best Warranties

- There is a **5 - year warranty** on the paint for adhesion.
- There is a **5 - year warranty** on the structural fiberglass repair not to delaminate.
- There is a **5 - year warranty** on the gel coat. With yearly maintenance plan

## Unique Restoration System



### Products

Superior Products  
Industry Proven  
Chosen by Performance not Price

### Processes

Documented Procedures  
Consistent & Standards  
Safety Standards  
Proper PPE

### People

Unmatched Certifications  
ACMA, NACE, OSHA, Non-Slip  
Experience: 120 Projects Last Year

### Guarantees

All Project Managers are ACMA Certified  
Gel Coat Thickness Meets OEM Standards  
Meeting Deadlines  
Responsive

**Slide Description:**

Open Flume Body Slide – Blue and White

Closed Flume Body Slide – Yellow and White



**Work Description:**

**Option A:**

**Remove Spray Paint with a heavy Polish and Wax - Interior:**

- Clean start tub and all affected areas
- Polish start tub and all affected areas
- Wax start tub and all affected areas

**Paint – Affected Exterior Area:**

- Wash exterior of slide with internally formulated cleaner
- Prime-coat bare areas as needed
- Paint exterior with Poly - Siloxane Paint
- Paint RAL color: \_\_\_\_\_

INIT: \_\_\_\_\_

**Work Description:**

**Option B:**

**Fiberglass Repairs:**

- Repair all minor fiberglass repairs in ride path (i.e. a chip or gouge with a sharp edge)\*
- All repairs will be done with vinyl-ester resin
- Recaulk seams as needed (recaulking is not a guarantee to stop leaking seams) \*\*
- Seams will be sealed with premium caulk

**Remove Spray Paint with a heavy Polish and Wax - Interior:**

- Clean start tub and all open and closed flume sections
- Polish start tub and all open and closed flume sections
- Wax start tub and all open and closed flume sections

**Paint - Exterior:**

- Wash exterior of slide with internally formulated cleaner
- Prime-coat bare areas as needed
- Paint exterior with Poly - Siloxane Paint
- Paint RAL color: \_\_\_\_\_

INIT: \_\_\_\_\_


**Project Amount Option A: ..... \$ 17,600.00**

**Project Amount Option B: ..... \$ 27,600.00**

We at Safe Slide Restoration are committed to quality and customer satisfaction. We are an international company that provides services to the largest water parks and cruise lines in the world. We look forward to putting our expertise to work for you. Please feel free to call our office at 855-639-7543 or my cell at 317-437-2217 if you have any questions or comments.

Thank you for your consideration, we appreciate your time!

Sincerely,  
Joseph Atherton  
Account Manager  
[joe@safeslides.com](mailto:joe@safeslides.com)



V.040319

## Terms & Conditions

**\*Fiberglass repair is defined as any damage that is an obvious threat to the guests, (i.e. a chip or gouge with a sharp edge). This is not to be confused with cosmetic repair, (i.e. a spider crack with no flaking or raised edge). This does not include any major repairs that require fiberglass cloth and resin lamination.**

**\*\* Because of the restrictions of our caulk being able to adhere to joints without the proper amount of surface area, we require that the seams are 3/16" wide to caulk them (If the seams to tight the caulk will not adhere).**

## Customer Expectations

Safe Slide Restoration reserves the right to have adequate access to the project area to complete the project as efficiently as Safe Slide Restoration deems necessary. This may require, but not limited to: working 12 hours per day / seven days a week. The park is responsible to provide an adequate water source (5 gallons per minute), electrical power (multiple circuits will be needed), and restroom facilities for the duration of the job. If there are any chip repairs and gelcoat is required; we are capable of doing in field color-matching for gelcoat. Safe Slide technicians will tint the gelcoat to match the existing gelcoat (This is not to be confused with manufacturer's exact color matching). Customer has the right to request a draw down if request is made 45 days before Safe Slide arrives. Recaulking seams does not apply if the seams are fiberglassed over. This Agreement shall be construed and governed by the laws of the State of Missouri. The parties agree that in the event any action is brought to enforce any terms of this Agreement or for damages for breach of the Agreement, the venue for such cause of action shall be Madison County, Missouri Circuit Court.

## Customer Responsibilities

If we are repairing leaking seams, the customer is responsible for identifying the leaking seams by labeling seams on the interior and exterior of slide (we recommend using a permanent marker in the ride path to label seams). Customer is responsible for identifying areas where lift cannot operate. If a lift is needed, we are not responsible for any broken concrete, landscaping, etc. Safe Slide may request the removal of fencing to allow a lift to access the water slide area (if there isn't access through gate opening). Customer is responsible for providing waste removal. The customer is required to provide access to restrooms for entirety of project. A walkthrough of finished work as well as a sign-off is required before our staff leaves the job site. Missing the post project walkthrough is equivalent to an approved sign-off by the customer. Safe Slide Restoration will not be responsible for unscheduled return work in the case that the customer misses scheduled post project walkthrough and subsequent sign-off.

## Possible Additional Charges/Non-Warranty Items

We do not warranty wet coring or wet substrates. There will be an additional charge for interior or exterior failed coatings. If there are any previous interior or exterior coatings; Safe Slide Restoration does not warranty any substrates previously coated after the manufacturer's original coating, or any previous repairs. We do not cover any defects made by the manufacturer(s), as determined by our staff. The pricing above does not include the cost of state taxes, licenses, or permits if required. Sometimes slides require a second coat of paint to achieve the desired finish. If a second coat of paint is required there will be an additional charge of 50% of the original paint price. A 2-3-point Tie-off system on top portion of closed flume slide may be needed if a lift is inaccessible. A cost of \$90 per panel will be assessed and tie offs will stay in place for customer use. An additional daily fee may be assessed if the project site is compromised due to negligence of customer or persons under the customer's control of on said project site. If the customer does not show up and needs to postpone the post job walkthrough, there will be an additional charge for the delay. This will be determined by how long Safe Slide must stay on site in order to get the walkthrough and sign-off which is required before our staff leaves the site. **The cost of a lift and/or scaffolding is not included in the above pricing.** If a lift and/or scaffolding is required, it will be the responsibility of the park to provide.

## Confidentiality Agreement

**The information in this document is confidential to the person to whom it is addressed and should not be disclosed to any other person. It may not be reproduced in whole, or in part, nor may any of the information contained therein be disclosed without the prior written consent of the directors of Safe Slide Restoration.**