



Request for Bids (RFB)

CITY OF NEVADA
NEVADA, MO 64772

2021 Compact Track Loader (Skid Steer)

RFB Number: **RFB # 2021- 008**

Bid Issued: **April 28, 2021**

Contact: **Tim Wiggans**

Phone: **417-448-5114**

Email: **twiggans@nevadamo.gov**

RETURN BIDS NO LATER THAN: **May 13, 2021@ 11:00 a.m.**

The City of Nevada is actively soliciting bid for a **2021 Compact Track Loader (Skid Steer) for Public Works** as described and specified on the attachment hereto. All bids are to be sealed and submitted to:

City of Nevada, City Clerk
110 S. Ash St.
Nevada, MO 64772

SEALED Bids will be received on or before **May 13, 2021 @ 11:00a.m.** in a sealed envelope at City Hall, 110 S. Ash St., Nevada, Missouri 64772 and marked **RFB # 2021-008 for a 2021 Compact Track Loader (Skid Steer)**. All bids are to be submitted by mail or hand delivered. No facsimile or other electronically submitted bids will be accepted.

INSTRUCTIONS TO BIDDERS

1. BIDDER'S QUESTIONS:

- 1.1. All questions regarding technical specifications, bid process, or other related questions must be directed to the contact person indicated on this RFB.

2. REQUEST FOR ACCOMMODATION:

- 2.1. If you are an individual with special needs as addressed by the Americans with Disabilities Act, please notify City Hall, 110 South Ash Street, Nevada, Missouri, 64772 or call 417-448-5102, at least five (5) working days prior to the bid opening.

3. BID EVALUATION/CONTRACT AWARD:

- 3.1. Any contract resulting from this request shall be awarded in response to a bid providing the lowest and best bid to the City of Nevada.
- 3.2. The City of Nevada reserves the right to reject any and all bids, to waive any and all informalities not involving price, time or changes in the work, and the right to disregard all nonconforming, non-responsive, unbalanced or conditional bids. Also, the City reserves the right to reject the bid of any bidder it believes would not be in the best interest of the City to make an award to that bidder, whether because the bid is not responsive, or the bidder is unqualified or of doubtful financial ability or fails to meet any other pertinent standards or criteria established for the proposed services. The City also reserves the right to select the bid it deems most beneficial and economical.
- 3.3. The City of Nevada hereby notifies all bidders that it will insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, creed, sex, age, ancestry or national origin in consideration for an award.

4. STATE CONTRACT: (if applicable)

- 4.1 This is to advise all Bidders that the City of Nevada will check the State of Missouri Contract pricing.

5. STATE SALES TAX: (if applicable)

- 5.1 This transaction is exempt from state sales tax and the City will assist the successful bidder in obtaining the necessary documents to exclude sales tax.

SUBMISSION OF BIDS:

Bids must be priced, signed and returned (with all necessary attachments) to the office of the City Clerk by the closing date and time specified.

The bidder must respond to this RFB by submitting all data required herein in order for the bid to be evaluated and considered for award.

Written assurance that the quoted rate/price will be honored for at least 30 days to allow for reasonable and expeditious processing by City staff and the City Council.

Date: _____

Company Name: _____

Authorized Signature: _____

Name (please Print): _____

Company address: _____

Phone: _____

Email: _____

SPECIFICATIONS OF ITEM REQUESTED:

ATTACHED SPECIFICATION SHEET(S)

All Equipment must meet or exceed the following specification.

**Compact Track LOADER
Skid-Steer Loader 3,000 lbs. Rated Operating Capacity**

ALL NUMBERS ARE MIN. NUMBERS

PERFORMANCE-

Rated Operating Capacity (per ISO 14397-1)
3,000lbs.
Tipping Load (per ISO 14397-1)..... 9,000 lbs.
Operating Weight (SAE J732)
10,000 lbs.
Travel Speed-2 Speed Option
• Low
Range..... 5
mph
• High Range
.....8 mph
Tilt Breakout Force 3,800lbs.

ENGINE/ELECTRICAL-

Loader shall have a 4 cylinder, liquid-cooled diesel; min.90.0 hp
Loader engine shall have a minimum torque of 200 lbf-ft at 1500 RPM
Loader engine shall be turbo charged
Loader shall be equipped with a hydraulically driven, variable speed cooling fan.
- Engine shall meet Tier 4 compliance
- Spark arrestor muffler, dual element air cleaner and glow plug cold weather assist shall be provided as standard equipment.
-Battery shall be a 12 volt
- Alternator shall be a minimum 80 amp.
Engine block heater shall be provided as optional equipment to provide easier starting during cold weather operation.

DRIVE SYSTEM

Shall have a fully hydrostatic four-wheel drive.
Standard tracks for the machine
(Would like breakdown of specs. for the track options)

HYDRAULIC SYSTEM

Hydraulic pump capacity for standard flow shall be capable of providing min. 20 gpm for bucket, lift arm and attachment operation.

- Hydraulic pump capacity for high flow shall be capable of providing min. 30 gpm for high flow hydraulic attachment operation.

A hydraulic oil cooler shall be standard equipment.

Ride control.

OPERATOR CONTROLS

Joystick control system- Pilot control

OPERATOR COMFORT

- Shall have an enclosed cab.

- Air conditioning.

- Cab heat.

- Front door shall be a one piece design.

- Enclosed cab shall be pressurized.

- An adjustable seat shall be available as standard equipment.

- A suspension seat.

- An air ride seat.

- Arm rest shall be standard equipment.

- Cup holder kit.

- Sound reduction kits.

- Front and rear window wipers.

- Dome lights.

- Front and rear operating lights shall be available as standard equipment.

- Side and rear window defrost shall be provided in the heat or air conditioned.

- An FM/AM Radio.

- 12 volt power ports.

- Backup camera

CAPACITIES

- Fuel Tank shall have a minimum capacity of 30 gal.

- Cooling System without heater shall have a minimum capacity of 3.0 gal.

- Cooling System with heater shall have a minimum capacity of 3.1 gal.

- Hydraulic Reservoir shall have a minimum capacity of 8 gal.

- Hydrostatic System shall have a minimum capacity of 10 gal.

DELUXE LOADER INSTRUMENTATION

The following features of the Deluxe Instrument Panel with Keyless Start are in addition to the Standard Instrument Panel:

Additional Displays for:

- Coolant Temperature & Oil Pressure
- Engine RPM
- Hydraulic Oil Temperature

- System Voltage
- Keyless Start
- Multi-Language Display
- Password Lockout
- High Flow Lockout
- Attachment Control

Additional Features:

- Diagnostic Capability
- Digital Clock
- Engine/Hydraulic Systems Shutdown Function
- Help Screens
- Job Clock

ATTACHMENTS

All attachments shall be mounted on a quick-change mechanism.

The quick change mechanism shall be driven by hydraulics and or electrical.

Shall be equipped with low profile/ standard size bucket for machine being bid on
Standard flow hydraulics shall be available as standard equipment.

- High flow hydraulics shall be part of the equipment.

- Shall have all wiring harness to operate the following attachments

1. Must be able to run a Bobcat 84" angle broom
2. Must be able to run a Bobcat 40" planner 40 HYD
3. Included is a standard smooth bucket with cutting edge
4. Shall have the option to purchase the following attachments:
 - 6 way dozer blade
 - Soil Conditioner/ Harley rake
 - Industrial grapple
 - Grader with the option of laser attachment
 - 72in Broom bucket/ pickup broom

SAFETY EQUIPMENT

Mounted Fire Extinguisher shall be provided

Magnetic mounted led light mini bar amber in color